REMARKS/ARGUMENTS

Reconsideration is respectfully requested of the Official Action of May 29, 2008, relating to the above-identified application.

A Terminal Disclaimer is filed herewith, together with the associated fee, with respect to US Patent 7,095,929, commonly assigned to the same assignee as the present application. The rejection of Claims 1 and 2 on the ground of obviousness double patenting has been overcome.

The rejection of Claim 5 under 35 U.S.C. § 112 is traversed and reconsideration is respectfully requested. Claim 3, on which Claim 5 depends, has been amended to specify that the claimed method relates to reducing the time for incorporation of compacted hydrophobic silica into thixotropic adhesives and sealants. Claim 3 further now specifies that the compacted bulk density of the silica is the range of 60 g/l to 200 g/l. Basis is found in paras. [0160] and [0168] of the published application.

Claim 4 has been deleted as redundant.

Claims 1 and 3 have been amended to specify that the silica has been compacted by a roller compactor or by a pressing filter belt. Basis is found in para. [0146] of the published application.

The claims in the application are Claims 1, 2, 3 and 5.

The rejection of the claims under 35 U.S.C. § 102(b) as anticipated by the published application of Gunther, et al., [sic. Gunther Michael et al.] US 2002/0037936, is traversed and reconsideration is respectfully requested. The published application of Gunther Michael, et al., describes a hydrophobic pyrogenically produced silica having a tamped density of 55 to 200 g/l. Silica used in Example 2 of the Michael published application is incorporated into an epoxy resin polymer. The claims have been amended to delete epoxy resins and, therefore, the Michael publication is no longer an anticipation of the claimed subject matter.

The rejection of Claims 1 and 2 under 35 U.S.C. § 102(b) as anticipated by the *Hartmann*, et al., patent (US 5.959.005), is traversed and reconsideration is respectfully requested. The *Hartmann*, et al., patent describes a surface modified, hydrophobic silanized silica powder which has been structurally

modified by a ball mill. Although it can be used in adhesives, it has no thickening effect. Hartmann, et

al., does not disclose a compacted silica as defined in the present claims. Furthermore, there is no

suggestion that the time for incorporation of the silica into the adhesive for sealant compositions could be

reduced by utilizing a compacted hydrophobic silica as defined in the present claims.

Accordingly, applicants respectfully submit that Hartmann, et al., does not anticipate the subject

matter of Claims 1 and 2.

The rejection of the claims under 35 U.S.C. § 102(b) in view of the published application of

Meyer, et al., US 2002/0077388, is traversed and reconsideration is respectfully requested.

The Meyer, et al., document describes a functionalized modified silica having silyl groups on the

surface which are highly hydrophobic. The silica of Meyer, et al., has been structurally modified by a ball

mill but the silica does not have any thickening effect as shown by Table 2 in para. [0015] of the

published application. The Meyer, et al., document does not describe any compacted silica as defined in

the present claims. Accordingly, applicants respectfully submit that the Meyer, et al., publication does

not anticipate the claims of this application.

The rejection of Claims 1, 2, 3 and 5 under 35 U.S.C. § 102(b) as anticipated by the Adams

patent, US 6,156,285, is traversed and reconsideration is respectfully requested. The Adams patent

describes a method for densifying particulate silica and a method for compounding a curable silicon

composition comprising a reinforcing silica filler. The particulate silica can be fumed silica, precipitated

silica, colloidal silica and silica gels. The preferred silica is a fumed silica as shown in col. 3, line 24.

The Adams patent does not describe any hydrophobic silica, however, and, therefore, does not anticipate

the claimed subject matter.

The rejection of Claims 3 and 5 under 35 U.S.C. § 103(a) as unpatentable in view of the

Hartmann, et al. patent, US 5,959,005, is traversed and reconsideration is respectfully requested.

Page 5 of 6

LIT\1045598.1

Resp. to OA of May 29, 2008

Hartmann, et al,. describes a surface modified hydrophobic silanized silica powder which has

been structurally modified by a ball mill. No thickening effect is observed following the procedures

shown in the Hartmann, et al., patent. Consequently, a person skilled in the art wishing to produce an

adhesive or sealant composition exhibiting a good thickening effect would not select the silica powder

described by Hartmann, et al. Applicants' silica is produced by a roller compactor or by a pressing filter

belt as shown in para. [0146] of applicants' published application 2007/0129480. The scalant and

adhesive compositions according to the present invention have the advantage that the thixotropic feature

is not changed but the incorporation time is markedly shorter. This is explained in paras. [0167] to [0170]

of applicants' published application US 2007/0129480.

Applicants respectfully submit that there is no teaching in the Hartmann, et al., reference which

would suggest any modification or change in the Hartmann, et al., invention whereby a person skilled in

the art would arrive at the presently claimed subject matter. Accordingly, applicants respectfully request

that the rejection be withdrawn and that the application be allowed at the Examiner's earliest

convenience.

Respectfully submitted,

By: Robert G. Weilacher, Reg. No. 20,531

Dated: August 25, 2008

SMITH, GAMBRELL & RUSSELL, LLP

Suite 3100, Promenade II 1230 Peachtree Street, N.E.

Atlanta, Georgia 30309-3592 Ph: (404) 815-3593

Fax: (404) 685-6893

Page 6 of 6

LIT\1045598.1